



Diet SF04-036

Meat Free Rat and Mouse Plus No Added Vitamin K

A fixed formulation diet for Laboratory Rats and Mice fortified with vitamins and minerals to meet the requirements of breeding animals after the diet is autoclaved or irradiated.


- All nutritional parameters of this diet meet or exceed the NRC guidelines for Rats and Mice
- The diet has been designed as a general ration for breeding and early growth in all rat and mouse strains. The total fat content has been deliberately kept low at around 5%, to maximise the long term breeding performance of most strains.
- The formulation is designed to be fed ad-lib to rodents of all ages. There is some indication that growth performance in a minority of strains can be improved by increasing dietary energy (fat content). BalbC mice, DA rats and some of the modified strains appear to be most susceptible to this problem. Please contact us if you are concerned about this issue.
- Mammalian meals have been excluded from the diet, however the diet does contain fish meal. We have formulated totally vegetarian diets, and maintained colonies for some time on these diets. Please contact us if you require such a diet.
- The feed is manufactured in a cylindrical form with a diameter of around 12 mm, length is variable from 10 mm to 30 mm. We have found that this form is ideal for overhead hopper feeding, maximising the ease of handling whilst minimising fines formation and the risk of bridging in the feed hopper. Pellet strength has been kept lower than conventional pelletised diets. While this leads to a slight increase in transit and storage damage to the diet (fines generation), we have found that juvenile mice often have a lower feed intake on harder pellets.
- The diet is packed in permeable bags suitable for direct loading into an autoclave. It is recommended that the diet be autoclaved at 120° C for 20 minutes with a post autoclaving vacuum drying cycle. Some clumping of the diet can be expected, but the diet clumps can usually be easily broken. Modifying the drying time to leave some residual moisture in the diet can minimize the clumping. Do not autoclave at 135° C as this will result in significant clumping that will be difficult to break.

Calculated Nutritional Parameters

Protein	19.60%
Total Fat	4.60%
Crude Fibre	4.80%
AD Fibre	4.80%
Digestible Energy	1.3 MJ / Kg

Ingredients

A fixed formula ration using the following ingredients.
Wheat, Barley, Lupins, Soya meal, Fish meal, Mixed vegetable oils, Canola oil, Salt, Calcium Carbonate, Dicalcium phosphate, Magnesium oxide Salt, and a Vitamin and mineral premix.



Feeding Recommendations	
Feed ad-lib to animals of all ages.	



Diet Form and Features	
<ul style="list-style-type: none"> Cereal grain base diet. 12 mm diameter pellets. Pack size 5 Kg , vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request. Also available in 10 or 20Kg bag size. Diet suitable for irradiation and for autoclave. Lead time 2 weeks for non-irradiation or 4 weeks for irradiation. 	

Added Trace Minerals	
Magnesium	100 mg/Kg
Iron	70 mg/Kg
Copper	16 mg/Kg
Iodine	0.5 mg/Kg
Manganese	70 mg/Kg
Zinc	60 mg/Kg
Molybdenum	0.5 mg/Kg
Selenium	0.1 mg/Kg

Added Vitamins	
Vitamin A (Retinol)	10 000 IU/Kg
Vitamin D (Cholecalciferol)	2 000 IU/Kg
Vitamin K (Menadione)	None Added
Vitamin E (a Tocopherol acetate)	100 mg/Kg
Vitamin B1 (Thiamine)	80 mg/Kg
Vitamin B2 (Riboflavin)	30 mg/Kg
Niacin (Nicotinic acid)	100 mg/Kg
Vitamin B6 (Pyridoxine)	25 mg/Kg
Calcium Pantothenate	50 mg/Kg
Biotin	300 ug/Kg
Folic Acid	5 mg/Kg
Vitamin B12 (Cyanocobalamin)	150 ug/Kg

Calculated Amino Acids	
Valine	0.84%
Leucine	1.30%
Isoleucine	0.70%
Threonine	0.70%
Methionine	0.20%
Cystine	0.30%
Lysine	0.90%
Phenylalanine	0.80%
Tyrosine	0.50%
Tryptophan	0.20%

Calculated Total Minerals	
Calcium	0.75%
Phosphorous	0.70%
Magnesium	0.20%
Sodium	0.20%
Potassium	0.70%
Sulphur	0.10%
Iron	180 mg/Kg
Copper	24 mg/Kg
Iodine	0.5 mg/Kg
Manganese	120 mg/Kg
Cobalt	No data
Zinc	90 mg/Kg
Molybdenum	0.5 mg/Kg
Selenium	0.4 mg/Kg
Cadmium	0.04 mg/Kg
Chromium	No data



Calculated Total Vitamins		Calculated Fatty Acid Composition	
Vitamin A (Retinol)	10 900 IU/Kg	Myristic Acid 14:0	0.03%
Vitamin D (Cholecalciferol)	> 2 000 IU/Kg	Palmitic Acid 16:0	0.50%
Vitamin E (a Tocopherol acetate)	110 mg/Kg	Stearic Acid 18:0	0.15%
Vitamin K (Menadione)	Data unreliable	Palmitoleic Acid 16:1	0.01%
Vitamin C (Ascorbic acid)	No data	Oleic Acid 18:1	1.90%
Vitamin B1 (Thiamine)	80 mg/Kg	Gadoleic Acid 20:1	0.03%
Vitamin B2 (Riboflavin)	30 mg/Kg	Linoleic Acid 18:2 n6	1.30%
Niacin (Nicotinic acid)	140 mg/Kg	a Linolenic Acid 18:3 n3	0.30%
Vitamin B6 (Pryridoxine)	28 mg/Kg	Arachadonic Acid 20:4 n6	Trace
Pantothenic Acid	60 mg/Kg	EPA 20:5 n3	0.04%
Biotin	400 ug/Kg	DHA 22:6 n3	0.08%
Folic Acid	5 mg/Kg	Total n3	0.42%
Inositol	No data	Total n6	1.30%
Vitamin B12 (Cyancobalamin)	150 ug/Kg	Total Mono Unsaturated Fats	1.95%
Choline	1 000 mg/Kg	Total Polyunsaturated Fats	1.69%
		Total Saturated Fats	0.72%

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. **Diet post treatment by irradiation or auto clave could change these parameters.**

We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.

