

Diet SF15-014

High Methol Donor Cane Toad Diet

A semi-pure diet formulation for laboratory Cane Toads based on AIN-93G.

- The base diet (SF15-012) has been formulated to excule any added methionine, choline, zinc, folate, and vitamin B12. There will however be trace amounts of these compounds present from the other raw materials.
- A high methol donor premix (Methionine, Choline, Zinc, Folate, Betaine and Vitamin B12) has been added to the base diet
- Fat content has been increased to 12%

Calculated Nutritional Parameters		Ingredients	
Protein	19.10%	Casein (Acid)	200 g/Kg
Total Fat	12.00%	Sucrose	100 g/Kg
Crude Fibre	4.70%	Canola Oil	70 g/Kg
AD Fibre	4.70%	Fish Oil	50 g/Kg
Digestible Energy	16.7 MJ / Kg	Cellulose	50 g/Kg
% Total calculated digestible energy from lipids	26.30%	Wheat Starch	310 g/Kg
		Dextrinised Starch	132 g/Kg
% Total calculated digestible energy from protein	21.10%	Calcium Carbonate	13.1 g/Kg
energy non protein		Sodium Chloride	2.6 g/Kg
Diet Form and Features		Modified AIN93 Trace Minerals No added Zinc	1.4 g/Kg
• Semi pure diet. 4 mm diameter pellets.		Potassium Citrate	2.5 g/Kg
 Pack size 5 Kg, vacuum pa oxygen impermeable plastic nitrogen. Bags are packed 	c bags, under	Potassium Dihydrogen Phosphate	6.9 g/Kg
 cartons to protect them during transit. Smaller pack quantity on request. Diet suitable for irradiation but not suitable for autoclave. Lead time 2 weeks for non-irradiation or 4 weeks for irradiation. Diet is light brown in colour. 		Potassium Sulphate	1.6 g/Kg
		SF07-044 Methol Donor Premix	50 g/Kg
		Modified AIN93 Vitamins No Folate, No B12	10 g/Kg
		FEEDSAFE	CCREDITED
			MANUFACTURER

Ingredients in SF07-044 px	(as included	Calculated Amino Acids	
at 50 g/Kg in Final Diet)		Valine	1.26%
Betaine	60 g/Kg	Leucine	1.80%
DL Methionine	7.5 g/Kg	Isoleucine	0.87%
Choline Chloride (65%)	25 g/Kg	Threonine	0.80%
Zinc Sulphate Monohydrate	0.43 g/Kg	Methionine	1.28%
Vitamin B12 (1%)	0.15 g/Kg	Cystine	0.06%
Folic Acid (90%)	0.075 g/Kg	Lysine	1.50%
Sucrose	2 g/Kg	Phenylalanine	1.00%
		Tyrosine	1.00%
Calculated Total Minerals		Histidine	0.60%
Calcium	0.69%	Tryptophan	0.30%
Phosphorous	0.35%		
Magnesium	0.06%	Calculated Total Vitamins	
Sodium	0.15%	Vitamin A (Retinol)	4 000 IU/Kg
Chloride	0.16%	Vitamin D (Cholecalciferol)	1 000 IU/Kg
Potassium	0.40%	Vitamin E (a Tocopherol acetate)	78 mg/Kg
Sulphur	0.32%	Vitamin K (Menadione)	1 mg/Kg
Iron	62 mg/Kg	Vitamin C (Ascorbic acid)	None added
Copper	6.7 mg/Kg	Vitamin B1 (Thiamine)	6.1 mg/Kg
lodine	0.2 mg/Kg	Vitamin B2 (Riboflavin)	6.3 mg/Kg
Manganese	14 mg/Kg	Niacin (Nicotinic acid)	30 mg/Kg
Cobalt	No data	Vitamin B6 (Pryridoxine)	7 mg/Kg
Zinc	161 mg/Kg	Pantothenic Acid	16.5 mg/Kg
Molybdenum	0.15 mg/Kg	Biotin	200 ug/Kg
Selenium	0.3 mg/Kg	Folic Acid	68 mg/Kg
Cadmium	No data	Inositol	None added
Chromium	1.0 mg/Kg	Vitamin B12 (Cyancobalamin)	1 502 ug/Kg
Fluoride	1.0 mg/Kg	Choline	16 060 mg/Kg
Lithium	0.1 mg/Kg		
Boron	2.4 mg/Kg		
Nickel	0.5 mg/Kg		







Calculated Fatty Acid Composition				
Saturated Fats C12:0 and less	0.02%			
Myristic Acid 14:0	0.35%			
Palmitic Acid 16:0	1.04%			
Stearic Acid 18:0	0.27%			
Palmitoleic Acid 16:1	0.42%			
Oleic Acid 18:1	4.27%			
Gadoleic Acid 20:1	0.16%			
Linoleic Acid 18:2 n6	1.59%			
a Linolenic Acid 18:3 n3	1.03%			
Arachadonic Acid 20:4 n6	0.07%			
EPA 20:5 n3	1.34%			
DHA 22:6 n3	1.03%			
Total n3	3.43%			
Total n6	1.65%			
Total Mono Unsaturated Fats	4.96%			
Total Polyunsaturated Fats	5.09%			
Total Saturated Fats	1.90%			

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. Diet post treatment by irradiation or auto clave could change these parameters.

We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.





