

3150 Great Eastern Hwy **Glen Forrest**

Western Australia 6071

p: +61 8 9298 8111 F: +61 8 9298 8700

Email: info@specialtyfeeds.com

Diet SF01-028

23% Fat Semi-Pure Rodent Diet 43% of Energy From Fat

A high fat semi-pure modification of AIN93G.

- Fat content has been increased from around 7% in AIN93G to 23%.
- Calculated energy has increased by around 24% over the base diet. 40% of the total calculated energy is from lipids.
- The triglyceride profile has an increased proportion of saturated and mono-unsaturated fatty acids over the standard diet.
- Other nutritional parameters have remained unchanged.
- The high fat content has resulted in a significant reduction in pellet hardness. The pellets must be handled with great care to avoid breakage.

| Calculated Nutritional Parameters | | |
|---|--------------|--|
| Protein | 19.00% | |
| Total Fat | 22.60% | |
| Crude Fibre | 4.70% | |
| AD Fibre | 4.70% | |
| Digestible Energy | 19.9 MJ / Kg | |
| % Total calculated digestible energy from lipids | 43.00% | |
| % Total calculated digestible energy from protein | 17.00% | |

Diet Form and Features

Surance

- Semi pure diet. 12 mm diameter pellets.
- Pack size 2 Kg, compostable cardboard trays vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request.
- Diet suitable for irradiation but not suitable for autoclave.
- Lead time 2 weeks for non-irradiation or 4 weeks for irradiation.

| Ingredients | |
|-----------------------------------|-----------|
| Casein (Acid) | 200 g/Kg |
| Sucrose | 388 g/Kg |
| Canola Oil | 48 g/Kg |
| Cocoa Butter | 180 g/Kg |
| Cellulose | 50 g/Kg |
| Wheat Starch | 90 g/Kg |
| L Methionine | 3.0 g/Kg |
| Calcium Carbonate | 13.1 g/Kg |
| Sodium Chloride | 2.6 g/Kg |
| AIN93 Trace Minerals | 1.4 g/Kg |
| Potassium Citrate | 2.5 g/Kg |
| Potassium Dihydrogen Phosphate | 6.9 g/Kg |
| Potassium Sulphate | 1.6 g/Kg |
| Choline Chloride (75%) | 2.5 g/Kg |
| AIN93 Vitamins | 10 g/Kg |
| | |



| Calculated Amino Acids | |
|------------------------|-------|
| Valine | 1.10% |
| Leucine | 1.70% |
| Isoleucine | 1.00% |
| Threonine | 0.70% |
| Methionine | 0.70% |
| Cysteine | 0.05% |
| Lysine | 1.50% |
| Phenylalanine | 0.90% |
| Tyrosine | 1.00% |
| Histidine | 0.60% |
| Tryptophan | 0.10% |

| Calculated Total Vitamins | |
|----------------------------------|-------------|
| Vitamin A (Retinol) | 4 000 IU/Kg |
| Vitamin D (Cholecalciferol) | 1 000 IU/Kg |
| Vitamin E (a Tocopherol acetate) | 75 mg/Kg |
| Vitamin K (Menadione) | 1 mg/Kg |
| Vitamin C (Ascorbic acid) | None added |
| Vitamin B1 (Thiamine) | 6.1 mg/Kg |
| Vitamin B2 (Riboflavin) | 6.3 mg/Kg |
| Niacin (Nicotinic acid) | 30 mg/Kg |
| Vitamin B6 (Pryridoxine) | 7 mg/Kg |
| Pantothenic Acid | 16.5 mg/Kg |
| Biotin | 200 ug/Kg |
| Folic Acid | 2 mg/Kg |
| Inositol | None added |
| Vitamin B12 (Cyancobalamin) | 100 ug/Kg |
| Choline | 1 700 mg/Kg |
| | |

| Calculated Total Minerals | |
|---------------------------|------------|
| Calcium | 0.45% |
| Phosphorous | 0.30% |
| Magnesium | 0.09% |
| Sodium | 0.11% |
| Chloride | 0.16% |
| Potassium | 0.40% |
| Sulphur | 0.23% |
| Iron | 70 mg/Kg |
| Copper | 6.8 mg/Kg |
| Iodine | 0.2 mg/Kg |
| Manganese | 18 mg/Kg |
| Cobalt | No data |
| Zinc | 50 mg/Kg |
| Molybdenum | 0.15 mg/Kg |
| Selenium | 0.3 mg/Kg |
| Cadmium | No data |
| Chromium | 1.0 mg/Kg |
| Fluoride SO 900 | 1.0 mg/Kg |
| Lithium | 0.1 mg/Kg |
| Boron | 3.4 mg/Kg |
| Nickel | 0.5 mg/Kg |
| Vanadium | 0.1 mg/Kg |

| Calculated Fatty Acid Composition | | |
|-----------------------------------|---------|--|
| Staurated Fats C12:0 and less | 0.09% | |
| Myristic Acid 14:0 | 0.04% | |
| Palmitic Acid 16:0 | 4.79% | |
| Stearic Acid 18:0 | 6.55% | |
| Arachidic Acid 20:0 | 0.21% | |
| Palmitoleic Acid 16:1 | 0.04% | |
| Oleic Acid 18:1 | 8.73% | |
| Gadoleic Acid 20:1 | 0.08% | |
| Linoleic Acid 18:2 n6 | 1.50% | |
| a Linolenic Acid 18:3 n3 | 0.55% | |
| Arachadonic Acid 20:4 n6 | No data | |
| EPA 20:5 n3 | Trace | |
| DHA 22:6 n3 | No data | |
| Total n3 | 0.58% | |
| Total n6 | 1.50% | |
| Total Mono Unsaturated Fats | 8.85% | |
| Total Polyunsaturated Fats | 2.09% | |
| Total Saturated Fats | 11.80% | |
| | | |

Calculated data uses information from typical raw material composition. **Diet post treatment by irradiation or auto clave could change these parameters**. It could be expected that individual batches of diet will vary from this figure. We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.