

Diet SF01-032

Low Sulphur Modification of AIN93G Rodent Diet

A semi-pure low sulphur modification of AIN93G formulated for laboratory rats and mice.

- Gelatin has been used in conjunction with casein as protein sources.
- In addition Tryptophan has been added as a pure amino acid to satisfy the minimum NRC recommendation for rodents.
- While the change in protein source has resulted in several deviations from AIN93G, all nutritional parameters except Sulphur are within NRC recommendation for rats and mice.

Calculated Nutritional Parameters		Ingredients	
Protein	20.00%	Casein (Acid)	90 g/Kg
Total Fat	7.00%	Gelatin	128 g/Kg
Crude Fibre	4.70%	Sucrose	100 g/Kg
AD Fibre	4.70%	Canola Oil	70 g/Kg
Digestible Energy	16.1 MJ / Kg	Cellulose	50 g/Kg
% Total calculated digestible	15.9%	Wheat Starch	389 g/Kg
energy from lipids		Dextrinised Starch	132 g/Kg
% Total calculated digestible energy from protein	21.4%	Tryptophan	2.0 g/Kg
		Calcium Carbonate	12.9 g/Kg
Diet Form and Features		Sodium Chloride	2.6 g/Kg

Magnesium Oxide

Potassium Citrate

AIN93 Vitamins

Phosphate

AIN93 Trace Minerals

Potassium Dihydrogen

Choline Chloride (75%)

- Semi pure diet. 12 mm diameter pellets.
- Pack size 5 Kg, vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request.
- Diet suitable for irradiation but not suitable for autoclave.
- Lead time 2 weeks for non-irradiation or 4 weeks for irradiation.



Tssurance

0.02 g/Kg

1.4 g/Kg

0.9 g/Kg

10 g/Kg

2.5 g/Kg

Calculated Amino Acids as Fed		Calculated Total Vitamins as Fed	
Valine	0.80%	Vitamin A (Retinol)	4 000 IU/Kg
Leucine	1.20%	Vitamin D (Cholecalciferol)	1 000 IU/Kg
Isoleucine	0.60%	Vitamin E (a Tocopherol	75 mg/Kg
Threonine	0.60%	acetate)	
Methionine	0.30%	Vitamin K (Menadione)	1 mg/Kg
Cysteine	0.04%	Vitamin C (Ascorbic acid)	None added
Lysine	1.10%	Vitamin B1 (Thiamine)	6.1 mg/Kg
Phenylalanine	0.80%	Vitamin B2 (Riboflavin)	6.3 mg/Kg
Tyrosine	0.50%	Niacin (Nicotinic acid)	30 mg/Kg
Histidine	0.37%	Vitamin B6 (Pryridoxine)	7 mg/Kg
Tryptophan	0.30%	Pantothenic Acid	16.5 mg/Kg
51 1		Biotin	200 ug/Kg
Calculated Total Minerals as fed		Folic Acid	2 mg/Kg
Calcium	0.48%	Inositol	None added
Phosphorous	0.32%	Vitamin B12 (Cyancobalamin)	100 ug/Kg
Magnesium	0.09%	Choline	1640 mg/Kg
Sodium	0.10%		
Chloride	0.16%	Calculated Fatty Acid Composition as Fed	
Potassium	0.35%	Myristic Acid 14:0	No data
Sulphur	0.21%	Palmitic Acid 16:0	0.40%
Iron	73 mg/Kg	Stearic Acid 18:0	0.10%
Copper	7.1 mg/Kg	Palmitoleic Acid 16:1	No data
Iodine	0.2 mg/Kg	Oleic Acid 18:1	4.20%
Manganese	25 mg/Kg	Gadoleic Acid 20:1	0.10%
Cobalt	No data	Linoleic Acid 18:2 n6	1.51%
Zinc	48 mg/Kg	a Linolenic Acid 18:3 n3	0.98%
Molybdenum	0.15 mg/Kg	Arachadonic Acid 20:4 n6	No data
Selenium	0.4 mg/Kg	EPA 20:5 n3	No data
Cadmium	No data	DHA 22:6 n3	No data
Chromium	1.0 mg/Kg	Total n3	0.98%
Fluoride	1.0 mg/Kg	Total n6	1.51%
Lithium	0.1 mg/Kg	Total Mono Unsaturated Fats	4.30%
Boron	3.4 mg/Kg	Total Polyunsaturated Fats	2.11%
Nickel	0.5 mg/Kg	Total Saturated Fats	0.49%
Vanadium 8	0.1 mg/Kg	-+	1

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. **Diet post treatment by irradiation or autoclave could change these parameters**. We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.