

Diet SF04-060

14% Protein Modification of AIN93G Rodent Diet

A semi-pure low protein modification of AIN93G.


- Protein concentration has been reduced from 20% to 14%.
- Modifications have also been made to inclusion rate of Potassium citrate, potassium phosphate and potassium dihydrogen phosphate to balance minerals found in casein.
- Energy has been allowed to vary with differing protein content.
- Starch content has been increased to make up the balance of the diet.

| Calculated Nutritional Parameters | | | |
|--|--------------|--|--|
| Protein | 14.00% | | |
| Total Fat | 7.00% | | |
| Crude Fibre | 4.70% | | |
| AD Fibre | 4.70% | | |
| Digestible Energy | 16.3 MJ / Kg | | |
| % Total calculated digestible energy from lipids | 16.10% | | |
| % Total calculated digestible energy from protein | 15.20% | | |


Diet Form and Features

- Semi pure diet. 12 mm diameter pellets.
- Pack size 5 Kg, vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request.
- Diet suitable for irradiation but not suitable for autoclave.
- Lead time 2 weeks for non-irradiation or 4
- weeks for irradiation.

Tssurance



FEED MANUFACTURER



| Calculated Amino Acids as Fed | | Calculated Total Vitamins as Fed | |
|----------------------------------|------------|--|-------------|
| Valine | 0.90% | Vitamin A (Retinol) | 4 000 IU/Kg |
| Leucine | 1.30% | Vitamin D (Cholecalciferol) | 1 000 IU/Kg |
| Isoleucine | 0.60% | Vitamin E (a Tocopherol | 78 mg/Kg |
| Threonine | 0.60% | acetate) | |
| Methionine | 0.70% | Vitamin K (Menadione) | 1 mg/Kg |
| Cysteine | 0.05% | Vitamin C (Ascorbic acid) | None added |
| Lysine | 1.10% | Vitamin B1 (Thiamine) | 6.1 mg/Kg |
| Phenylalanine | 0.70% | Vitamin B2 (Riboflavin) | 6.3 mg/Kg |
| Tyrosine | 0.80% | Niacin (Nicotinic acid) | 30 mg/Kg |
| Histidine | 0.43% | Vitamin B6 (Pryridoxine) | 7 mg/Kg |
| Tryptophan | 0.20% | Pantothenic Acid | 16.5 mg/Kg |
| | | Biotin | 200 ug/Kg |
| Calculated Total Minerals as Fed | | Folic Acid | 2 mg/Kg |
| Calcium | 0.48% | Inositol | None added |
| Phosphorous | 0.36% | Vitamin B12 (Cyancobalamin) | 101 ug/Kg |
| Magnesium | 0.09% | Choline | 1650 mg/Kg |
| Sodium | 0.15% | | |
| Chloride | 0.16% | Calculated Fatty Acid Composition as Fed | |
| Potassium | 0.39% | Myristic Acid 14:0 | Trace |
| Sulphur | 0.20% | Palmitic Acid 16:0 | 0.30% |
| Iron | 75 mg/Kg | Stearic Acid 18:0 | 0.10% |
| Copper | 6.9 mg/Kg | Palmitoleic Acid 16:1 | No data |
| lodine | 0.2 mg/Kg | Oleic Acid 18:1 | 3.90% |
| Manganese | 19 mg/Kg | Gadoleic Acid 20:1 | Trace |
| Cobalt | No data | Linoleic Acid 18:2 n6 | 1.50% |
| Zinc | 47 mg/Kg | a Linolenic Acid 18:3 n3 | 1.00% |
| Molybdenum | 0.15 mg/Kg | Arachadonic Acid 20:4 n6 | No data |
| Selenium | 0.3 mg/Kg | EPA 20:5 n3 | No data |
| Cadmium | No data | DHA 22:6 n3 | No data |
| Chromium | 1.0 mg/Kg | Total n3 | 1.00% |
| | 1.0 mg/Kg | Total n6 | 1.50% |
| Lithium | 0.1 mg/Kg | Total Mono Unsaturated Fats 5 - 3.98% | |
| Boron | 3.0 mg/Kg | Total Polyunsaturated Fats 2.50% | |
| Nickel | 0.5 mg/Kg | Total Saturated Fats | 0.50% |
| Vanadium | 0.1 mg/Kg | | |
| | 5.1 mg/ng | | 1 1 |

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. **Post diet treatment by irradiation can change these parameters.** We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for

manufacture by Specialty Feeds.

