

## Diet SF14-107

## Low Fat Rodent Diet Increased Saturated Fats C12:0 and Less.

A semi-pure low fat diet formulation for laboratory rats and mice based on Specialty Feeds SF13-081.

- 0.7% Coconut Oil has displaced lard to increase C12:0 saturated fats.
- Diet is control for SF14-098 and SF14-099

Calculated Nutritional Parameters		Ingredients	
Protein	22.60%	Casein (Acid)	233 g/Kg
Total Fat	5.30%	Sucrose	201 g/Kg
Crude Fibre	5.40%	Coconut Oil	7 g/Kg
AD Fibre	5.40%	Lard	18.9 g/Kg
Digestible Energy	15.4 MJ / Kg	Soya Bean Oil	29.1 g/Kg
% Total calculated digestible energy from lipids	12.00%	Cellulose	58 g/Kg
		Wheat Starch Starch	273 g/Kg
% Total calculated digestible energy from protein	25.80%	Dextrinised Starch	117 g/Kg
energy non protein		L Methionine	3.5 g/Kg
Diet Form and Features		Calcium Carbonate	6.4 g/Kg
<ul> <li>Semi pure low fat diet. 12 mm diameter pellets.</li> <li>Pack size 5 Kg , vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request.</li> <li>Diet suitable for irradiation but not suitable for autoclave.</li> <li>Lead time 2 weeks for non-irradiation or 4 weeks for irradiation.</li> </ul>		Sodium Chloride	2.6 g/Kg
		AIN93 Trace Minerals	1.6 g/Kg
		Potassium Citrate	19.2 g/Kg
		Dicalcium Phosphate	15.1 g/Kg
		Potassium Sulphate	1.6 g/Kg
		Choline Chloride (75%)	1.3 g/Kg
		AIN93 Vitamins	12 g/Kg
		ACCREDITED JAS	-ANZ

weeks for irradiation.





ED MANUFACTURER

Calculated Essential Amino	Acids as Fed	Calculated Total Vitamins as	Fed
Valine	1.50%	Vitamin A (Retinol)	4 700 IU/Kg
Leucine	2.10%	Vitamin D (Cholecalciferol)	1 200 IU/Kg
Isoleucine	1.00%	Vitamin E (a Tocopherol acetate)	90 mg/Kg
Threonine	0.90%	Vitamin K (Menadione)	1.2 mg/Kg
Methionine	1.00%	Vitamin C (Ascorbic acid)	None added
Cysteine	0.07%	Vitamin B1 (Thiamine)	7.1 mg/Kg
Lysine	1.70%	Vitamin B2 (Riboflavin)	7.3 mg/Kg
Phenylalanine	1.20%	Niacin (Nicotinic acid)	35 mg/Kg
Tyrosine	1.20%	Vitamin B6 (Pryridoxine)	8 mg/Kg
Tryptophan	0.30%	Pantothenic Acid	19 mg/Kg
Histidine	0.70%	Biotin	233 ug/Kg
		Folic Acid	2.4 mg/Kg
Calculated Total Minerals as	Calculated Total Minerals as Fed		None added
Calcium	0.60%	Vitamin B12 (Cyancobalamin)	120 ug/Kg
Phosphorous	0.50%	Choline	890 mg/Kg
Magnesium	0.09%		
Sodium	0.13%	Calculated Fatty Acid Composition as Fed	
Chloride	0.16%	Saturated Fats C12:0 or less	0.35%
Potassium	0.80%	Myristic Acid 14:0	0.17%
Sulphur	0.25%	Palmitic Acid 16:0	0.86%
Iron	79 mg/Kg	Stearic Acid 18:0	0.47%
Copper	9.0 mg/Kg	Other Saturated Fats	0.04%
Iodine	0.23 mg/Kg	Palmitoleic Acid 16:1	0.04%
Manganese	23 mg/Kg	Oleic Acid 18:1	1.35%
Cobalt	No data	Gadoleic Acid 20:1	0.02%
Zinc	61 mg/Kg	Linoleic Acid 18:2 n6	1.77%
Molybdenum	0.18 mg/Kg	a Linolenic Acid 18:3 n3	0.22%
Selenium	0.4 mg/Kg	EPA 20:5 n3	No data
Cadmium	No data	DHA 22:6 n3	No data
Chromium	1.2 mg/Kg	Total n3	0.23%
Fluoride SO 900	1.2 mg/Kg	Total n6	1.77%
Lithium	0.1 mg/Kg	Total Mono Unsaturated Fats	1.41%
Boron	2.1 mg/Kg	Total Polyunsaturated Fats	2.01%
Nickel	0.6 mg/Kg	Total Saturated Fats	2.00%
Vanadium	0.1 mg/Kg	-+	1





Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure.

Diet post treatment by irradiation or auto clave could change these parameters.

We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.

