

Diet SF11-025

Modified AIN93G Rodent Diet all CHO as Gel Crisp Starch

A semi-pure diet formulation for laboratory rats and mice based on AIN-93G.

- All CHO has been replaced with Gel Crisp starch.
- Gel Crisp/Crisp Film ® is a modified type 2 resistant, Accetylated high amylose resistant starch made from maize starch

Calculated Nutritional Parameters as Fed		Ingredients	
Protein	17.9%	Casein (Acid)	200 g/Kg
Total Fat	7.0%	Gel Crisp Starch	636 g/Kg
Total Digestible Carbohydrate as defined by FSANZ Standard 1.2.8	62.7%	Canola Oil	70 g/Kg
		Cellulose	50 g/Kg
Crude Fibre	4.7%	L Methionine	3.0 g/Kg
AD Fibre	4.7%	Calcium Carbonate	13.1 g/Kg
Net Metabolisable Energy	14.3 MJ/Kg	Sodium Chloride	2.6 g/Kg
Digestible Energy	15.8 MJ / Kg	AIN93 Trace Minerals	1.4 g/Kg
% Total calculated digestible	16.0%	Potassium Citrate	2.5 g/Kg
energy from lipids		Potassium Dihydrogen Phosphate	6.9 g/Kg
% Total calculated digestible energy from protein	19.0%	Potassium Sulphate	1.6 g/Kg
		Choline Chloride (75%)	2.5 g/Kg
		AIN93 Vitamins	10 g/Kg

Diet Form and Features

- Semi pure diet. 12 mm diameter pellets.
- Pack size 5 Kg, vacuum packed in oxygen impermeable plastic bags, under nitrogen. Bags are packed into cardboard cartons to protect them during transit. Smaller pack quantity on request.
- Diet suitable for irradiation but not suitable
- for autoclave.

Surance

Lead time 2 weeks for non-irradiation or 4 weeks for irradiation.

ACCREDITED Feed Manufacturer



Calculated Amino Acids as Fed		Calculated Total Vitamins as Fed	
Valine	1.20%	Vitamin A (Retinol)	4 000 IU/Kg
Leucine	1.80%	Vitamin D (Cholecalciferol)	1 000 IU/Kg
Isoleucine	1.00%	Vitamin E (a Tocopherol	78 mg/Kg
Threonine	0.80%	acetate)	
Methionine	0.89%	Vitamin K (Menadione)	1 mg/Kg
Cysteine	0.06%	Vitamin C (Ascorbic acid)	None added
Lysine	1.60%	Vitamin B1 (Thiamine)	6.1 mg/Kg
Phenylalanine	1.00%	Vitamin B2 (Riboflavin)	6.3 mg/Kg
Tyrosine	1.20%	Niacin (Nicotinic acid)	30 mg/Kg
Tryptophan	0.20%	Vitamin B6 (Pryridoxine)	7 mg/Kg
Arginine	0.60%	Pantothenic Acid	16.5 mg/Kg
Histidine	0.40%	Biotin	200 ug/Kg
Calculated Total Minerals as Fed		Folic Acid	2 mg/Kg
Calcium	0.70%	Inositol	None added
Phosphorous	0.32%	Vitamin B12 (Cyancobalamin)	100 ug/Kg
Magnesium	0.07%	Choline	2 200 mg/Kg
Sodium	0.21%		
Chloride	0.16%	Calculated Fatty Acid Composition as Fed	
Potassium	0.39%	Myristic Acid 14:0	Trace
Sulphur	0.23%	Palmitic Acid 16:0	0.30%
Iron	49 mg/Kg	Stearic Acid 18:0	0.10%
Copper	6.7 mg/Kg	Palmitoleic Acid 16:1	No data
lodine	0.2 mg/Kg	Oleic Acid 18:1	3.90%
Manganese	16 mg/Kg	Gadoleic Acid 20:1	0.10%
Cobalt	No data	Linoleic Acid 18:2 n6	1.50%
Zinc	46 mg/Kg	a Linolenic Acid 18:3 n3	0.98%
Molybdenum	0.15 mg/Kg	Arachadonic Acid 20:4 n6	No data
Selenium	0.25 mg/Kg	EPA 20:5 n3	No data
Cadmium	No data	DHA 22:6 n3	No data
Chromium	1.0 mg/Kg	Total n3	0.98%
Fluoride <0.90	1.0 mg/Kg	Total n6	1.51%
Lithium	0.1 mg/Kg	Total Mono Unsaturated Fats	3.98%
Boron	2.1 mg/Kg	Total Polyunsaturated Fats	2.50%
Nickel	0.5 mg/Kg	Total Saturated Fats	0.50%
Vanadium	0.0 mg/Kg	- + -	
		terial composition. It could be expec	

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. Diet post treatment by irradiation or auto clave could change these parameters. We are happy to provide full calculated nutritional information for all of our products,

however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.

