

3150 Great Eastern Hwy Glen Forrest Western Australia 6071

> p: +61 8 9298 8111 F: +61 8 9298 8700

Email: info@specialtyfeeds.com

## Diet NOD2

## Controlled High Gluten Rat and Mouse

A fixed formulation diet for Laboratory Rats and Mice fortified with vitamins and minerals to meet the requirements of breeding animals after the diet is autoclaved or irradiated.

- All nutritional parameters of this diet meet or exceed the NRC guidelines for Rats and Mice.
- The diet has been designed specifically for NOD mice, keeping gluten content consistently high.
- The only grains included in the ration are maize and lupins. All gluten comes from a semirefined wheat gluten
- The formulation is designed to be fed ad-lib to rodents of all ages.
- Mammalian and fish meals have been excluded from the diet.
- Total protein content has been increased to 23% as compared to the standard ration of around 19 - 20%. For mature animals it may be necessary to reduce the total protein specification. This could only be done by reducing the gluten content.
- The feed is manufactured in a cylindrical form with a diameter of around 12 mm, length is variable from 10 mm to 30 mm. We have found that this form is ideal for overhead hopper feeding, maximising the ease of handling whilst minimising fines formation and the risk of bridging in the feed hopper. Pellet strength has been kept lower than conventional pelletised diets. While this leads to a slight increase in transit and storage damage to the diet (fines generation), we have found that juvenile mice often have a lower feed intake on harder pellets.
- The diet can packed in permeable bags suitable for direct loading into an autoclave or packaged for gamma sterilisation. If autoclaving, it is recommended that the diet be autoclaved at 120° C for 20 minutes with a post autoclaving vacuum drying cycle. Some clumping of the diet can be expected, but the diet clumps can usually be easily broken. Modifying the drying time to leave some residual moisture in the diet can minimise the clumping. Do not autoclave at 135° C as this will result in significant clumping that will be difficult to break.

Calculated Nutritional Parameters		Ingredients
Protein SO 900	22.80%	A Fixed formula ration ingredients: Wheat gluten, Lupins oils, Canola oil, Lysin Potassium chloride, Dicalcium phosphate Vitamin and trace mir
Total Fat	4.80%	
Total Digestible Carbohydrate as defined by FSANZ Standard 1.2.8	49.2%	
AD Fibre	5.10%	
Net Metabolisable Energy	13.9 MJ / Kg	
Digestible Energy	14.0 MJ / Kg	DIISTED TOADED

A Fixed formula ration using the following ingredients:

Wheat gluten, Lupins, Maize, Mixed vegetable oils, Canola oil, Lysine, Sodium chloride, Potassium chloride, Calcium carbonate, Dicalcium phosphate, Magnesium oxide and a Vitamin and trace mineral premix.

## Diet Form and Features

- Cereal grain base diet. 12 mm diameter pellets.
- Pack size 10 and 20 Kg Bags. 5kg bags for irradiation, vacuum sealed under nitrogen in double oxygen impermeable bags to ensure sterility.
- Diet suitable for irradiation, also suitable for autoclave.
- Lead time 2 weeks for non irradiated diet or 4 weeks for irradiated diet.

Added Vitamins	
Vitamin A (Retinol)	10 000 IU/Kg
Vitamin D (Cholecalciferol)	2 000 IU/Kg
Vitamin E (a Tocopherol acetate)	100 mg/Kg
Vitamin K (Menadione)	20 mg/Kg
Vitamin B1 (Thiamine)	80 mg/Kg
Vitamin B2 (Riboflavin)	30 mg/Kg
Niacin (Nicotinic acid)	100 mg/Kg
Vitamin B6 (Pryridoxine)	25 mg/Kg
Calcium Pantothenate	50 mg/Kg
Biotin	300 ug/Kg
Folic Acid	5.0 mg/Kg
Vitamin B12 (Cyancobalamin)	150 ug/Kg

Calculated Amino Acids		
Valine	0.79%	
Leucine	2.00%	
Isoleucine	0.89%	
Threonine	0.71%	
Methionine	0.29%	
Cystine	0.35%	
Lysine	0.82%	
Phenylalanine 900	1.40%	
Tyrosine	0.70%	
Tryptophan	0.24%	
Arginine	1.40%	
Histidine	0.63%	
Tsurance	T INT	

## Feeding Recommendations

Feed ad lib. to animals of all ages

Added Trace Minerals		
Magnesium	110 mg/Kg	
Iron	70 mg/Kg	
Copper	16 mg/Kg	
Iodine	0.5 mg/Kg	
Manganese	70 mg/Kg	
Zinc	60 mg/Kg	
Molybdenum	0.5 mg/Kg	
Selenium	0.1 mg/Kg	

Calculated Total Minerals		
Calcium	0.90%	
Phosphorous	0.66%	
Magnesium	0.27%	
Sodium	0.24%	
Chloride	1.00%	
Potassium	0.91%	
Sulphur	0.10%	
Iron	235 mg/Kg	
Copper	23 mg/Kg	
lodine	0.5 mg/Kg	
Manganese	86 mg/Kg	
Cobalt	0.02 mg/Kg	
Zinc	82 mg/Kg	
Molybdenum	1.3 mg/Kg	
Selenium	0.17 mg/Kg	
Cadmium	0.01 mg/Kg	
Chromium	No data	
Boron Eniter JAS	2.8 mg/Kg	

AUSTRALIAN
TRUSTED TRADER

FEED MANUFACTURER

Calculated Total Vitamins		
Vitamin A (Retinol)	10 000 IU/Kg	
Vitamin A (carotenes)	5 100 IU/Kg	
Vitamin D (Cholecalciferol)	2 000 IU/Kg	
Vitamin E (a Tocopherol acetate)	110 mg/Kg	
Vitamin K (Menadione)	20 mg/Kg	
Vitamin C (Ascorbic acid)	No data	
Vitamin B1 (Thiamine)	82 mg/Kg	
Vitamin B2 (Riboflavin)	31 mg/Kg	
Niacin (Nicotinic acid)	114 mg/Kg	
Vitamin B6 (Pryridoxine)	29 mg/Kg	
Pantothenic Acid	53 mg/Kg	
Biotin	336 ug/Kg	
Folic Acid	5.1 mg/Kg	
Inositol	No data	
Vitamin B12 (Cyancobalamin)	150 ug/Kg	
Choline	1 000 mg/Kg	

Calculated Fatty Acid Composition		
Myristic Acid 14:0	Trace	
Palmitic Acid 16:0	0.50%	
Stearic Acid 18:0	0.15%	
Palmitoleic Acid 16:1	0.01%	
Oleic Acid 18:1	1.80%	
Gadoleic Acid 20:1	0.02%	
Linoleic Acid 18:2 n6	1.30%	
a Linolenic Acid 18:3 n3	0.20%	
Arachadonic Acid 20:4 n6	No data	
EPA 20:5 n3	Trace	
DHA 22:6 n3	No data	
Total n3	0.21%	
Total n6	1.30%	
Total Mono Unsaturated Fats	1.80%	
Total Polyunsaturated Fats	1.50%	
Total Saturated Fats	0.67%	

Calculated data uses information from typical raw material composition. It could be expected that individual batches of diet will vary from this figure. **Diet post treatment by irradiation or auto clave could change these parameters**.

We are happy to provide full calculated nutritional information for all of our products, however we would like to emphasise that these diets have been specifically designed for manufacture by Specialty Feeds.







